

Colour Television

25PT5405

25PT5425

NICAM

## Product highlights

- *Blackline S CRT*
- *Smart Picture*
- *Smart Sound*
- *Contrast Plus*
- *Incredible Surround*
- *Easy Tune (ACI/ATS)*
- *NICAM reception (5425 model only)*
- *Parental Control*
- *Automatic Volume Limiter*
- *10 pages TOP/FLOF SmarText*

*Black Line S*

**INCREDIBLE  
SURROUND**

Smart  



**SMART**  
    



Remote control unit varies with model



*Let's make things better.*



**PHILIPS**

Colour Television

25PT5405  
25PT5425  
NICAM

## Product highlights

- *Blackline S CRT*
- *Smart Picture*
- *Smart Sound*
- *Contrast Plus*
- *Incredible Surround*
- *Easy Tune (ACI/ATS)*
- *NICAM reception (5425 model only)*
- *Parental Control*
- *Automatic Volume Limiter*
- *10 pages TOP/FLOF SmarText*

*Black Line S*

**INCREDIBLE  
SURROUND**

Smart  



**SMART**  
    



Remote control unit varies with model



*Faisons toujours mieux.*



**PHILIPS**



Colour Television

25PT5405

25PT5425

NICAM

## Product highlights

- *Blackline S CRT*
- *Smart Picture*
- *Smart Sound*
- *Contrast Plus*
- *Incredible Surround*
- *Easy Tune (ACI/ATS)*
- *NICAM reception (5425 model only)*
- *Parental Control*
- *Automatic Volume Limiter*
- *10 pages TOP/FLOF SmarText*

*Black Line S*

**INCREDIBLE  
SURROUND**

Smart  



**SMART**  
    



Remote control unit varies with model



*Ας κάνουμε τον κόσμο μας καλύτερο.*



**PHILIPS**

Colour Television

25PT5405

25PT5425

NICAM

## Product highlights

- *Blackline S CRT*
- *Smart Picture*
- *Smart Sound*
- *Contrast Plus*
- *Incredible Surround*
- *Easy Tune (ACI/ATS)*
- *NICAM reception (5425 model only)*
- *Parental Control*
- *Automatic Volume Limiter*
- *10 pages TOP/FLOF SmarText*

*Black Line S*

**INCREDIBLE  
SURROUND**

Smart  



**SMART**  
    



Remote control unit varies with model



Miglioriamo il tuo mondo.



**PHILIPS**



Colour Television

25PT5405

25PT5425

NICAM

## Product highlights

- *Blackline S CRT*
- *Smart Picture*
- *Smart Sound*
- *Contrast Plus*
- *Incredible Surround*
- *Easy Tune (ACI/ATS)*
- *NICAM reception (5425 model only)*
- *Parental Control*
- *Automatic Volume Limiter*
- *10 pages TOP/FLOF SmarText*

*Black Line S*

**INCREDIBLE  
SURROUND**

Smart  



**SMART**  
    



Remote control unit varies with model



*Por si fazemos melhor.*



**PHILIPS**

Colour Television

25PT5405

25PT5425

NICAM

## Product highlights

- *Blackline S CRT*
- *Smart Picture*
- *Smart Sound*
- *Contrast Plus*
- *Incredible Surround*
- *Easy Tune (ACI/ATS)*
- *NICAM reception (5425 model only)*
- *Parental Control*
- *Automatic Volume Limiter*
- *10 pages TOP/FLOF SmarText*

*Black Line S*

**INCREDIBLE  
SURROUND**

Smart  



**SMART**  
    



Remote control unit varies with model



Juntos hacemos tu vida mejor.



**PHILIPS**



Colour Television

25PT5405

25PT5425

NICAM

## Product highlights

- *Blackline S CRT*
- *Smart Picture*
- *Smart Sound*
- *Contrast Plus*
- *Incredible Surround*
- *Easy Tune (ACI/ATS)*
- *NICAM reception (5425 model only)*
- *Parental Control*
- *Automatic Volume Limiter*
- *10 pages TOP/FLOF SmarText*

*Black Line S*

**INCREDIBLE  
SURROUND**

Smart  



**SMART**  
    



Remote control unit varies with model



*Let's make things better.*



**PHILIPS**

Colour Television

25PT5405

25PT5425

NICAM

## Product highlights

- *Blackline S CRT*
- *Smart Picture*
- *Smart Sound*
- *Contrast Plus*
- *Incredible Surround*
- *Easy Tune (ACI/ATS)*
- *NICAM reception (5425 model only)*
- *Parental Control*
- *Automatic Volume Limiter*
- *10 pages TOP/FLOF SmarText*

*Black Line S*

**INCREDIBLE  
SURROUND**

Smart  



**SMART**  
    



Remote control unit varies with model

*Faisons toujours mieux.*



**PHILIPS**



Colour Television

25PT5405

25PT5425

NICAM

## Product highlights

- *Blackline S CRT*
- *Smart Picture*
- *Smart Sound*
- *Contrast Plus*
- *Incredible Surround*
- *Easy Tune (ACI/ATS)*
- *NICAM reception (5425 model only)*
- *Parental Control*
- *Automatic Volume Limiter*
- *10 pages TOP/FLOF SmarText*

*Black Line S*

**INCREDIBLE  
SURROUND**

Smart  



**SMART**  
    



Remote control unit varies with model



*As κάνουμε τον κόσμο μας καλύτερο.*



**PHILIPS**

Colour Television

25PT5405

25PT5425

NICAM

## Product highlights

- *Blackline S CRT*
- *Smart Picture*
- *Smart Sound*
- *Contrast Plus*
- *Incredible Surround*
- *Easy Tune (ACI/ATS)*
- *NICAM reception (5425 model only)*
- *Parental Control*
- *Automatic Volume Limiter*
- *10 pages TOP/FLOF SmarText*

*Black Line S*

**INCREDIBLE  
SURROUND**

Smart  



**SMART**  
    



Remote control unit varies with model



Miglioriamo il tuo mondo.



**PHILIPS**



Colour Television

25PT5405

25PT5425

NICAM

## Product highlights

- *Blackline S CRT*
- *Smart Picture*
- *Smart Sound*
- *Contrast Plus*
- *Incredible Surround*
- *Easy Tune (ACI/ATS)*
- *NICAM reception (5425 model only)*
- *Parental Control*
- *Automatic Volume Limiter*
- *10 pages TOP/FLOF SmarText*

*Black Line S*

**INCREDIBLE  
SURROUND**

Smart  



**SMART**  
    



Remote control unit varies with model



*Por si fazemos melhor.*



**PHILIPS**

Colour Television

25PT5405

25PT5425

NICAM

## Product highlights

- *Blackline S CRT*
- *Smart Picture*
- *Smart Sound*
- *Contrast Plus*
- *Incredible Surround*
- *Easy Tune (ACI/ATS)*
- *NICAM reception (5425 model only)*
- *Parental Control*
- *Automatic Volume Limiter*
- *10 pages TOP/FLOF SmarText*

*Black Line S*

**INCREDIBLE  
SURROUND**

Smart  



**SMART**  
    



Remote control unit varies with model



Juntos hacemos tu vida mejor.



**PHILIPS**



## Product Information

### Picture

|                          |                               |
|--------------------------|-------------------------------|
| Screen Size              | 25" (63cm)                    |
| Picture Tube             | Blackline S CRT               |
| Visible Diagonal         | 59cm                          |
| Invar Mask               |                               |
| Scan Velocity Modulation | (SCAVEM)                      |
| Contrast Plus            |                               |
| Smart Picture Modes      | Soft, Natural, Rich, Personal |

|                            |  |
|----------------------------|--|
| 16:9 mode                  |  |
| Sharpness Control          |  |
| Colour Temperature Control |  |

### Sound

|                                    |                                 |
|------------------------------------|---------------------------------|
| Sound Output                       | 2 x 8W RMS                      |
| Loudspeakers                       | Full Range 2 x 5"               |
| Incredible Surround                |                                 |
| Smart Sound Modes                  | Theatre, Music, Voice, Personal |
| Bilingual Switch on Remote Control |                                 |
| Separated Headphone Volume Control |                                 |

### Reception

|                   |                     |
|-------------------|---------------------|
| Tuning System     | PLL Tuning          |
| Tuner             | UV, S and Hyperband |
| Channel Selection | 100 presets         |
| Aerial Input      | 75 Ohm Coaxial      |
| TV Systems        | See table           |
| Video Playback    | NTSC 3.58/4.43      |
| Stereo System     | See table           |

### Teletext

|                              |          |
|------------------------------|----------|
| Reception Stds               | TOP/FLOF |
| 10 Pages memory              |          |
| SmartText (4 favorite pages) |          |

### Connections

|      |                                   |
|------|-----------------------------------|
| Side | Stereo headphones out (3.5 mm)    |
|      | Video CVBS In                     |
|      | S-Video In x 1                    |
|      | Audio In Cinch x 1 (Stereo)       |
| Rear | Ext 1: Scart RGB In + CVBS In/Out |
|      | Ext 2: Scart CVBS In/Out + Y/C In |
|      | Audio Out Cinch x 1 (Stereo)      |

### Operation

|                                      |            |
|--------------------------------------|------------|
| Remote Control                       | RCE82B     |
| No. of RC buttons                    | 44 buttons |
| Side TV/VCR switch on remote control |            |
| On Screen Display (OSD)              |            |
| Cursor Control                       |            |
| Multi Languages selection            |            |
| Information Line                     |            |
| Alternative Channel Selection        |            |
| Parental Control                     |            |
| Sleep Timer (120 minutes)            |            |
| Daily on/off clock                   |            |

### Measurements

|                            |                                |
|----------------------------|--------------------------------|
| Mains                      | 220 - 240V, 50/60 Hz           |
| Power Consumption          | 80W Normal Oper.               |
|                            | 3W Standby                     |
| Net Weight                 | 28 kg (approx.)                |
| Gross Weight               | 31 kg (approx.)                |
| Gross Weight, incl. stand  | 36 kg (approx.)                |
| Set Dimension              | 684 x 473 x 540 (W x D x H mm) |
| Box Dimension              | 784 x 573 x 679 (W x D x H mm) |
| Box Dimension, incl. stand | 784 x 573 x 747 (W x D x H mm) |
| Cabinet painting           | Black 8007                     |

## Product Highlights

### Ultraflat Black Lines S CRT

The Ultraflat screen provides an improved viewing angle, less disturbing reflections and prevents image distortion. The Black Lines also offers high contrast for natural colours and improved daytime viewing.

**SCAVEM** (Scan Velocity Modulation) varies the speed of the electron beam to enhance the image edges. This circuit dramatically improves the overall picture definition and contrast.

**Contrast Plus** greatly enhances the degree of black to white contrast, thus optimizing the total contrast for improved picture clarity.

**Incredible Surround** actively processes the signal using advanced electronics and psycho-acoustic method to widen the stereo spiritual image.

This feature provides incredible sound with extra depth and an unbelievable three-dimensional effect.

**Smart Picture** provides user with four factory preset positions (Soft, Natural, Rich, Personal) to enhance enjoyment of video games, sports, movies etc. By selecting the desired option, all the important picture elements are instantly adjusted to optimize viewing pleasure.

**Smart Sound** provides user with four factory preset positions (Theatre, Music, Voice, Personal) to suit every individual sound preference when viewing different programmes or sources.

**Easy Tune (ATI/ACS)** provides you the ease of installing and storing channels with no fuss.

| version  |     | stereo system |          |        |          |         |           | transmission system |        |       |          |          |           | stand supplied in the box |
|----------|-----|---------------|----------|--------|----------|---------|-----------|---------------------|--------|-------|----------|----------|-----------|---------------------------|
|          |     | 2CS DK        | NICAM DK | 2CS BG | NICAM BG | NICAM I | NICAM LL' | PAL BG              | PAL DK | PAL I | SECAM BG | SECAM DK | SECAM LL' |                           |
| 25PT5405 | /00 |               |          | •      |          |         |           | •                   |        |       |          |          |           |                           |
| 25PT5425 | /01 |               |          | •      | •        | •       | •         | •                   |        | •     | •        |          | •         |                           |
| 25PT5425 | /05 |               |          |        |          | •       |           |                     |        | •     |          |          |           |                           |
| 25PT5425 | /58 | •             | •        | •      | •        |         |           | •                   | •      |       | •        | •        |           |                           |

|              |              |
|--------------|--------------|
| Chassis      | : A8         |
| Release Date | : Jan '99    |
| Reference    | : GBP E 1297 |

Features and specifications subject to change without notice

## Product Information

### Picture

|                          |                                  |
|--------------------------|----------------------------------|
| Screen Size              | 25" (63cm)                       |
| Picture Tube             | Blackline S<br>CRT               |
| Visible Diagonal         | 59cm                             |
| Invar Mask               |                                  |
| Scan Velocity Modulation | (SCAVEM)                         |
| Contrast Plus            |                                  |
| Smart Picture Modes      | Soft, Natural, Rich,<br>Personal |

16:9 mode  
Sharpness Control  
Colour Temperature Control

### Sound

|                     |                                    |
|---------------------|------------------------------------|
| Sound Output        | 2 x 8W RMS                         |
| Loudspeakers        | Full Range 2 x 5"                  |
| Incredible Surround |                                    |
| Smart Sound Modes   | Theatre, Music,<br>Voice, Personal |

Bilingual Switch on Remote Control  
Separated Headphone Volume Control

### Reception

|                   |                     |
|-------------------|---------------------|
| Tuning System     | PLL Tuning          |
| Tuner             | UV, S and Hyperband |
| Channel Selection | 100 presets         |
| Aerial Input      | 75 Ohm Coaxial      |
| TV Systems        | See table           |
| Video Playback    | NTSC 3.58/4.43      |
| Stereo System     | See table           |

### Teletext

|                              |          |
|------------------------------|----------|
| Reception Stds               | TOP/FLOF |
| 10 Pages memory              |          |
| SmartText (4 favorite pages) |          |

### Connections

|      |                                                                                                        |
|------|--------------------------------------------------------------------------------------------------------|
| Side | Stereo headphones out (3.5 mm)<br>Video CVBS In<br>S-Video In x 1<br>Audio In Cinch x 1 (Stereo)       |
| Rear | Ext 1: Scart RGB In + CVBS In/Out<br>Ext 2: Scart CVBS In/Out + Y/C In<br>Audio Out Cinch x 1 (Stereo) |

### Operation

|                                      |            |
|--------------------------------------|------------|
| Remote Control                       | RCE82B     |
| No. of RC buttons                    | 44 buttons |
| Side TV/VCR switch on remote control |            |
| On Screen Display (OSD)              |            |
| Cursor Control                       |            |
| Multi Languages selection            |            |
| Information Line                     |            |
| Alternative Channel Selection        |            |
| Parental Control                     |            |
| Sleep Timer (120 minutes)            |            |
| Daily on/off clock                   |            |

### Measurements

|                            |                                   |
|----------------------------|-----------------------------------|
| Mains                      | 220 - 240V, 50/60 Hz              |
| Power Consumption          | 80W Normal Oper.<br>3W Standby    |
| Net Weight                 | 28 kg (approx.)                   |
| Gross Weight               | 31 kg (approx.)                   |
| Gross Weight, incl. stand  | 36 kg (approx.)                   |
| Set Dimension              | 684 x 473 x 540<br>(W x D x H mm) |
| Box Dimension              | 784 x 573 x 679<br>(W x D x H mm) |
| Box Dimension, incl. stand | 784 x 573 x 747<br>(W x D x H mm) |
| Cabinet painting           | Black 8007                        |

### Product Highlights

#### Ultraflat Black Lines S CRT

The Ultraflat screen provides an improved viewing angle, less disturbing reflections and prevents image distortion. The Black Lines also offers high contrast for natural colours and improved daytime viewing.

**SCAVEM** (Scan Velocity Modulation) varies the speed of the electron beam to enhance the image edges. This circuit dramatically improves the overall picture definition and contrast.

**Contrast Plus** greatly enhances the degree of black to white contrast, thus optimizing the total contrast for improved picture clarity.

**Incredible Surround** actively processes the signal using advanced electronics and psycho-acoustic method to widen the stereo spiritual image.

This feature provides incredible sound with extra depth and an unbelievable three-dimensional effect.

**Smart Picture** provides user with four factory preset positions (Soft, Natural, Rich, Personal) to enhance enjoyment of video games, sports, movies etc. By selecting the desired option, all the important picture elements are instantly adjusted to optimize viewing pleasure.

**Smart Sound** provides user with four factory preset positions (Theatre, Music, Voice, Personal) to suit every individual sound preference when viewing different programmes or sources.

**Easy Tune (ATI/ACS)** provides you the ease of installing and storing channels with no fuss.

| version  |     | stereo system |          |        |          |         |           | transmission system |        |       |          |          |           | stand supplied in the box |
|----------|-----|---------------|----------|--------|----------|---------|-----------|---------------------|--------|-------|----------|----------|-----------|---------------------------|
|          |     | 2CS DK        | NICAM DK | 2CS BG | NICAM BG | NICAM I | NICAM LL' | PAL BG              | PAL DK | PAL I | SECAM BG | SECAM DK | SECAM LL' |                           |
| 25PT5405 | /00 |               |          | •      |          |         |           | •                   |        |       |          |          |           |                           |
| 25PT5425 | /01 |               |          | •      | •        | •       | •         | •                   |        | •     | •        |          | •         |                           |
| 25PT5425 | /05 |               |          |        |          | •       |           |                     |        | •     |          |          |           |                           |
| 25PT5425 | /58 | •             | •        | •      | •        |         |           | •                   | •      |       | •        | •        |           |                           |

Chassis : A8  
Release Date : Jan '99  
Reference : GBP E 1297

Features and specifications subject to change without notice



## Product Information

### Picture

|                          |                               |
|--------------------------|-------------------------------|
| Screen Size              | 25" (63cm)                    |
| Picture Tube             | Blackline S CRT               |
| Visible Diagonal         | 59cm                          |
| Invar Mask               |                               |
| Scan Velocity Modulation | (SCAVEM)                      |
| Contrast Plus            |                               |
| Smart Picture Modes      | Soft, Natural, Rich, Personal |

16:9 mode  
Sharpness Control  
Colour Temperature Control

### Sound

|                                    |                                 |
|------------------------------------|---------------------------------|
| Sound Output                       | 2 x 8W RMS                      |
| Loudspeakers                       | Full Range 2 x 5"               |
| Incredible Surround                |                                 |
| Smart Sound Modes                  | Theatre, Music, Voice, Personal |
| Bilingual Switch on Remote Control |                                 |
| Separated Headphone Volume Control |                                 |

### Reception

|                   |                     |
|-------------------|---------------------|
| Tuning System     | PLL Tuning          |
| Tuner             | UV, S and Hyperband |
| Channel Selection | 100 presets         |
| Aerial Input      | 75 Ohm Coaxial      |
| TV Systems        | See table           |
| Video Playback    | NTSC 3.58/4.43      |
| Stereo System     | See table           |

### Teletext

|                              |          |
|------------------------------|----------|
| Reception Stds               | TOP/FLOF |
| 10 Pages memory              |          |
| SmartText (4 favorite pages) |          |

### Connections

|      |                                   |
|------|-----------------------------------|
| Side | Stereo headphones out (3.5 mm)    |
|      | Video CVBS In                     |
|      | S-Video In x 1                    |
|      | Audio In Cinch x 1 (Stereo)       |
| Rear | Ext 1: Scart RGB In + CVBS In/Out |
|      | Ext 2: Scart CVBS In/Out + Y/C In |
|      | Audio Out Cinch x 1 (Stereo)      |

### Operation

|                                      |            |
|--------------------------------------|------------|
| Remote Control                       | RCE82B     |
| No. of RC buttons                    | 44 buttons |
| Side TV/VCR switch on remote control |            |
| On Screen Display (OSD)              |            |
| Cursor Control                       |            |
| Multi Languages selection            |            |
| Information Line                     |            |
| Alternative Channel Selection        |            |
| Parental Control                     |            |
| Sleep Timer (120 minutes)            |            |
| Daily on/off clock                   |            |

### Measurements

|                            |                                |
|----------------------------|--------------------------------|
| Mains                      | 220 - 240V, 50/60 Hz           |
| Power Consumption          | 80W Normal Oper.               |
|                            | 3W Standby                     |
| Net Weight                 | 28 kg (approx.)                |
| Gross Weight               | 31 kg (approx.)                |
| Gross Weight, incl. stand  | 36 kg (approx.)                |
| Set Dimension              | 684 x 473 x 540 (W x D x H mm) |
| Box Dimension              | 784 x 573 x 679 (W x D x H mm) |
| Box Dimension, incl. stand | 784 x 573 x 747 (W x D x H mm) |
| Cabinet painting           | Black 8007                     |

### Product Highlights

#### Ultraflat Black Lines S CRT

The Ultraflat screen provides an improved viewing angle, less disturbing reflections and prevents image distortion. The Black Lines also offers high contrast for natural colours and improved daytime viewing.

**SCAVEM** (Scan Velocity Modulation) varies the speed of the electron beam to enhance the image edges. This circuit dramatically improves the overall picture definition and contrast.

**Contrast Plus** greatly enhances the degree of black to white contrast, thus optimizing the total contrast for improved picture clarity.

**Incredible Surround** actively processes the signal using advanced electronics and psycho-acoustic method to widen the stereo spiritual image.

This feature provides incredible sound with extra depth and an unbelievable three-dimensional effect.

**Smart Picture** provides user with four factory preset positions (Soft, Natural, Rich, Personal) to enhance enjoyment of video games, sports, movies etc. By selecting the desired option, all the important picture elements are instantly adjusted to optimize viewing pleasure.

**Smart Sound** provides user with four factory preset positions (Theatre, Music, Voice, Personal) to suit every individual sound preference when viewing different programmes or sources.

**Easy Tune (ATI/ACS)** provides you the ease of installing and storing channels with no fuss.

| version  |     | stereo system |          |        |          |         |           | transmission system |        |       |          |          |           | stand supplied in the box |
|----------|-----|---------------|----------|--------|----------|---------|-----------|---------------------|--------|-------|----------|----------|-----------|---------------------------|
|          |     | 2CS DK        | NICAM DK | 2CS BG | NICAM BG | NICAM I | NICAM LL' | PAL BG              | PAL DK | PAL I | SECAM BG | SECAM DK | SECAM LL' |                           |
| 25PT5405 | /00 |               |          | •      |          |         |           | •                   |        |       |          |          |           |                           |
| 25PT5425 | /01 |               |          | •      | •        | •       | •         | •                   |        | •     | •        |          | •         |                           |
| 25PT5425 | /05 |               |          |        |          | •       |           |                     |        | •     |          |          |           |                           |
| 25PT5425 | /58 | •             | •        | •      | •        |         |           | •                   | •      |       | •        | •        |           |                           |

Chassis : A8  
Release Date : Jan '99  
Reference : GBP E 1297

Features and specifications subject to change without notice

## Product Information

### Picture

|                          |                                  |
|--------------------------|----------------------------------|
| Screen Size              | 25" (63cm)                       |
| Picture Tube             | Blackline S<br>CRT               |
| Visible Diagonal         | 59cm                             |
| Invar Mask               |                                  |
| Scan Velocity Modulation | (SCAVEM)                         |
| Contrast Plus            |                                  |
| Smart Picture Modes      | Soft, Natural, Rich,<br>Personal |

16:9 mode  
Sharpness Control  
Colour Temperature Control

### Sound

|                     |                                    |
|---------------------|------------------------------------|
| Sound Output        | 2 x 8W RMS                         |
| Loudspeakers        | Full Range 2 x 5"                  |
| Incredible Surround |                                    |
| Smart Sound Modes   | Theatre, Music,<br>Voice, Personal |

Bilingual Switch on Remote Control  
Separated Headphone Volume Control

### Reception

|                   |                     |
|-------------------|---------------------|
| Tuning System     | PLL Tuning          |
| Tuner             | UV, S and Hyperband |
| Channel Selection | 100 presets         |
| Aerial Input      | 75 Ohm Coaxial      |
| TV Systems        | See table           |
| Video Playback    | NTSC 3.58/4.43      |
| Stereo System     | See table           |

### Teletext

|                              |          |
|------------------------------|----------|
| Reception Stds               | TOP/FLOF |
| 10 Pages memory              |          |
| SmartText (4 favorite pages) |          |

### Connections

|      |                                                                                                        |
|------|--------------------------------------------------------------------------------------------------------|
| Side | Stereo headphones out (3.5 mm)<br>Video CVBS In<br>S-Video In x 1<br>Audio In Cinch x 1 (Stereo)       |
| Rear | Ext 1: Scart RGB In + CVBS In/Out<br>Ext 2: Scart CVBS In/Out + Y/C In<br>Audio Out Cinch x 1 (Stereo) |

### Operation

|                                      |            |
|--------------------------------------|------------|
| Remote Control                       | RCE82B     |
| No. of RC buttons                    | 44 buttons |
| Side TV/VCR switch on remote control |            |
| On Screen Display (OSD)              |            |
| Cursor Control                       |            |
| Multi Languages selection            |            |
| Information Line                     |            |
| Alternative Channel Selection        |            |
| Parental Control                     |            |
| Sleep Timer (120 minutes)            |            |
| Daily on/off clock                   |            |

### Measurements

|                            |                                   |
|----------------------------|-----------------------------------|
| Mains                      | 220 - 240V, 50/60 Hz              |
| Power Consumption          | 80W Normal Oper.<br>3W Standby    |
| Net Weight                 | 28 kg (approx.)                   |
| Gross Weight               | 31 kg (approx.)                   |
| Gross Weight, incl. stand  | 36 kg (approx.)                   |
| Set Dimension              | 684 x 473 x 540<br>(W x D x H mm) |
| Box Dimension              | 784 x 573 x 679<br>(W x D x H mm) |
| Box Dimension, incl. stand | 784 x 573 x 747<br>(W x D x H mm) |
| Cabinet painting           | Black 8007                        |

### Product Highlights

#### Ultraflat Black Lines S CRT

The Ultraflat screen provides an improved viewing angle, less disturbing reflections and prevents image distortion. The Black Lines also offers high contrast for natural colours and improved daytime viewing.

**SCAVEM** (Scan Velocity Modulation) varies the speed of the electron beam to enhance the image edges. This circuit dramatically improves the overall picture definition and contrast.

**Contrast Plus** greatly enhances the degree of black to white contrast, thus optimizing the total contrast for improved picture clarity.

**Incredible Surround** actively processes the signal using advanced electronics and psycho-acoustic method to widen the stereo spiritual image.

This feature provides incredible sound with extra depth and an unbelievable three-dimensional effect.

**Smart Picture** provides user with four factory preset positions (Soft, Natural, Rich, Personal) to enhance enjoyment of video games, sports, movies etc. By selecting the desired option, all the important picture elements are instantly adjusted to optimize viewing pleasure.

**Smart Sound** provides user with four factory preset positions (Theatre, Music, Voice, Personal) to suit every individual sound preference when viewing different programmes or sources.

**Easy Tune (ATI/ACS)** provides you the ease of installing and storing channels with no fuss.

| version  |     | stereo system |          |        |          |         |           | transmission system |        |       |          |          |           | stand supplied in the box |
|----------|-----|---------------|----------|--------|----------|---------|-----------|---------------------|--------|-------|----------|----------|-----------|---------------------------|
|          |     | 2CS DK        | NICAM DK | 2CS BG | NICAM BG | NICAM I | NICAM LL' | PAL BG              | PAL DK | PAL I | SECAM BG | SECAM DK | SECAM LL' |                           |
| 25PT5405 | /00 |               |          | •      |          |         |           | •                   |        |       |          |          |           |                           |
| 25PT5425 | /01 |               |          | •      | •        | •       | •         | •                   |        | •     | •        |          | •         |                           |
| 25PT5425 | /05 |               |          |        |          | •       |           |                     |        | •     |          |          |           |                           |
| 25PT5425 | /58 | •             | •        | •      | •        |         |           | •                   | •      |       | •        | •        |           |                           |

Chassis : A8  
Release Date : Jan '99  
Reference : GBP E 1297

Features and specifications subject to change without notice



## Product Information

### Picture

|                          |                                  |
|--------------------------|----------------------------------|
| Screen Size              | 25" (63cm)                       |
| Picture Tube             | Blackline S<br>CRT               |
| Visible Diagonal         | 59cm                             |
| Invar Mask               |                                  |
| Scan Velocity Modulation | (SCAVEM)                         |
| Contrast Plus            |                                  |
| Smart Picture Modes      | Soft, Natural, Rich,<br>Personal |

16:9 mode  
Sharpness Control  
Colour Temperature Control

### Sound

|                     |                                    |
|---------------------|------------------------------------|
| Sound Output        | 2 x 8W RMS                         |
| Loudspeakers        | Full Range 2 x 5"                  |
| Incredible Surround |                                    |
| Smart Sound Modes   | Theatre, Music,<br>Voice, Personal |

Bilingual Switch on Remote Control  
Separated Headphone Volume Control

### Reception

|                   |                     |
|-------------------|---------------------|
| Tuning System     | PLL Tuning          |
| Tuner             | UV, S and Hyperband |
| Channel Selection | 100 presets         |
| Aerial Input      | 75 Ohm Coaxial      |
| TV Systems        | See table           |
| Video Playback    | NTSC 3.58/4.43      |
| Stereo System     | See table           |

### Teletext

|                              |          |
|------------------------------|----------|
| Reception Stds               | TOP/FLOF |
| 10 Pages memory              |          |
| SmartText (4 favorite pages) |          |

### Connections

|      |                                                                                                        |
|------|--------------------------------------------------------------------------------------------------------|
| Side | Stereo headphones out (3.5 mm)<br>Video CVBS In<br>S-Video In x 1<br>Audio In Cinch x 1 (Stereo)       |
| Rear | Ext 1: Scart RGB In + CVBS In/Out<br>Ext 2: Scart CVBS In/Out + Y/C In<br>Audio Out Cinch x 1 (Stereo) |

### Operation

|                                      |            |
|--------------------------------------|------------|
| Remote Control                       | RCE82B     |
| No. of RC buttons                    | 44 buttons |
| Side TV/VCR switch on remote control |            |
| On Screen Display (OSD)              |            |
| Cursor Control                       |            |
| Multi Languages selection            |            |
| Information Line                     |            |
| Alternative Channel Selection        |            |
| Parental Control                     |            |
| Sleep Timer (120 minutes)            |            |
| Daily on/off clock                   |            |

### Measurements

|                            |                                   |
|----------------------------|-----------------------------------|
| Mains                      | 220 - 240V, 50/60 Hz              |
| Power Consumption          | 80W Normal Oper.<br>3W Standby    |
| Net Weight                 | 28 kg (approx.)                   |
| Gross Weight               | 31 kg (approx.)                   |
| Gross Weight, incl. stand  | 36 kg (approx.)                   |
| Set Dimension              | 684 x 473 x 540<br>(W x D x H mm) |
| Box Dimension              | 784 x 573 x 679<br>(W x D x H mm) |
| Box Dimension, incl. stand | 784 x 573 x 747<br>(W x D x H mm) |
| Cabinet painting           | Black 8007                        |

### Product Highlights

#### Ultraflat Black Lines S CRT

The Ultraflat screen provides an improved viewing angle, less disturbing reflections and prevents image distortion. The Black Lines also offers high contrast for natural colours and improved daytime viewing.

**SCAVEM** (Scan Velocity Modulation) varies the speed of the electron beam to enhance the image edges. This circuit dramatically improves the overall picture definition and contrast.

**Contrast Plus** greatly enhances the degree of black to white contrast, thus optimizing the total contrast for improved picture clarity.

**Incredible Surround** actively processes the signal using advanced electronics and psycho-acoustic method to widen the stereo spiritual image.

This feature provides incredible sound with extra depth and an unbelievable three-dimensional effect.

**Smart Picture** provides user with four factory preset positions (Soft, Natural, Rich, Personal) to enhance enjoyment of video games, sports, movies etc. By selecting the desired option, all the important picture elements are instantly adjusted to optimize viewing pleasure.

**Smart Sound** provides user with four factory preset positions (Theatre, Music, Voice, Personal) to suit every individual sound preference when viewing different programmes or sources.

**Easy Tune (ATI/ACS)** provides you the ease of installing and storing channels with no fuss.

| version  |     | stereo system |          |        |          |         |           | transmission system |        |       |          |          |           | stand supplied in the box |
|----------|-----|---------------|----------|--------|----------|---------|-----------|---------------------|--------|-------|----------|----------|-----------|---------------------------|
|          |     | 2CS DK        | NICAM DK | 2CS BG | NICAM BG | NICAM I | NICAM LL' | PAL BG              | PAL DK | PAL I | SECAM BG | SECAM DK | SECAM LL' |                           |
| 25PT5405 | /00 |               |          | •      |          |         |           | •                   |        |       |          |          |           |                           |
| 25PT5425 | /01 |               |          | •      | •        | •       | •         | •                   |        | •     | •        |          | •         |                           |
| 25PT5425 | /05 |               |          |        |          | •       |           |                     |        | •     |          |          |           |                           |
| 25PT5425 | /58 | •             | •        | •      | •        |         |           | •                   | •      |       | •        | •        |           |                           |

Chassis : A8  
Release Date : Jan '99  
Reference : GBP E 1297

Features and specifications subject to change without notice

## Product Information

### Picture

|                          |                                  |
|--------------------------|----------------------------------|
| Screen Size              | 25" (63cm)                       |
| Picture Tube             | Blackline S<br>CRT               |
| Visible Diagonal         | 59cm                             |
| Invar Mask               |                                  |
| Scan Velocity Modulation | (SCAVEM)                         |
| Contrast Plus            |                                  |
| Smart Picture Modes      | Soft, Natural, Rich,<br>Personal |

16:9 mode  
Sharpness Control  
Colour Temperature Control

### Sound

|                                    |                                    |
|------------------------------------|------------------------------------|
| Sound Output                       | 2 x 8W RMS                         |
| Loudspeakers                       | Full Range 2 x 5"                  |
| Incredible Surround                |                                    |
| Smart Sound Modes                  | Theatre, Music,<br>Voice, Personal |
| Bilingual Switch on Remote Control |                                    |
| Separated Headphone Volume Control |                                    |

### Reception

|                   |                     |
|-------------------|---------------------|
| Tuning System     | PLL Tuning          |
| Tuner             | UV, S and Hyperband |
| Channel Selection | 100 presets         |
| Aerial Input      | 75 Ohm Coaxial      |
| TV Systems        | See table           |
| Video Playback    | NTSC 3.58/4.43      |
| Stereo System     | See table           |

### Teletext

|                              |          |
|------------------------------|----------|
| Reception Stds               | TOP/FLOF |
| 10 Pages memory              |          |
| SmartText (4 favorite pages) |          |

### Connections

|      |                                                                                                        |
|------|--------------------------------------------------------------------------------------------------------|
| Side | Stereo headphones out (3.5 mm)<br>Video CVBS In<br>S-Video In x 1<br>Audio In Cinch x 1 (Stereo)       |
| Rear | Ext 1: Scart RGB In + CVBS In/Out<br>Ext 2: Scart CVBS In/Out + Y/C In<br>Audio Out Cinch x 1 (Stereo) |

### Operation

|                                      |            |
|--------------------------------------|------------|
| Remote Control                       | RCE82B     |
| No. of RC buttons                    | 44 buttons |
| Side TV/VCR switch on remote control |            |
| On Screen Display (OSD)              |            |
| Cursor Control                       |            |
| Multi Languages selection            |            |
| Information Line                     |            |
| Alternative Channel Selection        |            |
| Parental Control                     |            |
| Sleep Timer (120 minutes)            |            |
| Daily on/off clock                   |            |

### Measurements

|                            |                                   |
|----------------------------|-----------------------------------|
| Mains                      | 220 - 240V, 50/60 Hz              |
| Power Consumption          | 80W Normal Oper.<br>3W Standby    |
| Net Weight                 | 28 kg (approx.)                   |
| Gross Weight               | 31 kg (approx.)                   |
| Gross Weight, incl. stand  | 36 kg (approx.)                   |
| Set Dimension              | 684 x 473 x 540<br>(W x D x H mm) |
| Box Dimension              | 784 x 573 x 679<br>(W x D x H mm) |
| Box Dimension, incl. stand | 784 x 573 x 747<br>(W x D x H mm) |
| Cabinet painting           | Black 8007                        |

### Product Highlights

#### Ultraflat Black Lines S CRT

The Ultraflat screen provides an improved viewing angle, less disturbing reflections and prevents image distortion. The Black Lines also offers high contrast for natural colours and improved daytime viewing.

**SCAVEM** (Scan Velocity Modulation) varies the speed of the electron beam to enhance the image edges. This circuit dramatically improves the overall picture definition and contrast.

**Contrast Plus** greatly enhances the degree of black to white contrast, thus optimizing the total contrast for improved picture clarity.

**Incredible Surround** actively processes the signal using advanced electronics and psycho-acoustic method to widen the stereo spiritual image.

This feature provides incredible sound with extra depth and an unbelievable three-dimensional effect.

**Smart Picture** provides user with four factory preset positions (Soft, Natural, Rich, Personal) to enhance enjoyment of video games, sports, movies etc. By selecting the desired option, all the important picture elements are instantly adjusted to optimize viewing pleasure.

**Smart Sound** provides user with four factory preset positions (Theatre, Music, Voice, Personal) to suit every individual sound preference when viewing different programmes or sources.

**Easy Tune (ATI/ACS)** provides you the ease of installing and storing channels with no fuss.

| version  |     | stereo system |          |        |          |         |           | transmission system |        |       |          |          |           | stand supplied in the box |
|----------|-----|---------------|----------|--------|----------|---------|-----------|---------------------|--------|-------|----------|----------|-----------|---------------------------|
|          |     | 2CS DK        | NICAM DK | 2CS BG | NICAM BG | NICAM I | NICAM LL' | PAL BG              | PAL DK | PAL I | SECAM BG | SECAM DK | SECAM LL' |                           |
| 25PT5405 | /00 |               |          | •      |          |         |           | •                   |        |       |          |          |           |                           |
| 25PT5425 | /01 |               |          | •      | •        | •       | •         | •                   |        | •     | •        |          | •         |                           |
| 25PT5425 | /05 |               |          |        |          | •       |           |                     |        | •     |          |          |           |                           |
| 25PT5425 | /58 | •             | •        | •      | •        |         |           | •                   | •      |       | •        | •        |           |                           |

Chassis : A8  
Release Date : Jan '99  
Reference : GBP E 1297

Features and specifications subject to change without notice





VIS\_RC2541\_FR1.EPS